Contraindications & Precautions to Routine Childhood Immunizations by Condition (1/00)

DTP/ DTaP Hepatitis B Hib IPV MMR OPV Pneumococcal conjugate Varicella			
THIS CONDITION:	CONTRAINDICATES THIS VACCINE:	THIS CONDITION:	IS A PRECAUTION FOR THIS VACCINE:
Anaphylactic reaction to		Moderate or severe acute illness	All vaccines
prior vaccine dose any vaccine component baker's yeast	that vaccine that vaccine Hepatitis B	Recent administration of an antibody-containing blood product ³	MMR, Varicella
gelatin neomycin	MMR, Varicella MMR, Varicella, IPV	Neurologic disorder – unstable or evolving	DTP, DTaP
polymyxin B streptomycin	IPV IPV	Pregnancy (recipient)	OPV, IPV ⁴
(At the time of this printing to pneumococcal conjugate was	the additive list for	TB - untreated, active	Varicella ⁵
Encephalopathy within 7 days DTP/DTaP	of previous dose of DTP/DTaP	Thrombocytopenia/ thrombocytopenic purpura (now or by l	MMR nx)
Immunodeficiency due to any cause including HIV ¹ :		Any of these conditions after previous dose of DTP/DTaP:	DTP/DTaP
in recipient in household contact	OPV, Varicella ² , MMR OPV	• Fever of ≥ 40.5° C (105° F) unexplained by another cause	within 48 hrs of previous dose
Pregnancy (recipient)	MMR, Varicella	• Collapse or shocklike state	within 48 hrs of previous dose
		 Persistent, inconsolable crying lasting <u>></u> 3 hours 	within 48 hrs of previous dose
		Seizure or convulsion	within 72 hrs of previous dose
Symptomatic HIV infection (AIDS) is a varicella vaccine. Asymptomatic HIV in		Guillain-Barré syndrome	within 6 wks of previous dose

varicella vaccine. Asymptomatic HIV infection is not a contraindication to either vaccine.

² Pure humoral immune deficiencies are not a contraindication to varicella vaccine.

³ See ACIP General Recommendations Table 8 for correct spacing.
⁴ If immediate protection is needed, OPV, not IPV, is recommended.
⁵ Varicella vaccine is not recommended for people with untreated, active TB.